

The trade magazine for servicing and repair professionals

COMMERCIAL VEHICLE

WORKSHOP

FEBRUARY 2016

TOOLS & EQUIPMENT

Helping you make the right equipment choices

DIAGNOSTICS

Keeping you up-to-date with all of the current issues

EXHAUSTS & EMISSIONS

Advice on meeting emission standards

LIGHT COMMERCIAL VEHICLES

Highlighting the latest LCV messages

Plus

News ■ Giveaways ■ Special Reports ■ Products and much more...

WELL EQUIPPED

Chicago Pneumatic has a number of new workshop equipment model numbers that will provide an added dimension to any workshop's customer service offering.

SWIVEL CONNECTORS

BENEFITS

Connects from the tool inlet to the air hose; Makes rigid hoses more flexible and multi-directional; Provides users with a 360° rotational capacity providing ease of use in difficult to access areas.



FEATURES

Available in 1/4", 3/8" and 1/2"; Are capable of withstanding air pressure from 12L/s up to 35L/s; The additional flexibility given ensures that the air hose does not become twisted and remains in the ideal working position helping to reduce the risk of tendinitis for the user; The connector reduces wear to hoses, as they are not being twisted.

HOSE REELS

BENEFITS

Ergonomic and offers durability; User comfort; Gives reliable air supply wherever needed; Fully repairable.




FEATURES

Available in hose lengths from 33ft/10m to 52.5ft/16m and in sizes 1/4", 3/8" and 1/2"; New crimping system on the hose/tool connection to provide maximum quality and robustness; Protected by a shield, which avoids any undue stress on the crimping, thereby prolonging its life; Durability provides excellent use for up to 25000 cycles; A moveable retaining ball allows easy adjustment of the hose; Available in premium polyurethane, which is lighter and more flexible than rubber.

WORKSHOP PRESSES

BENEFITS

Fast and easy to work; High stability; Durable and sturdy; Precision; Easy control; Stable; Comfort; CE & ASME certified.



FEATURES

Pneumatic pump driven by foot; Two holes in each foot to fix in the floor; Steel frame; Two step stroke system – Closed: Full stroke for quick approach; Open: Small stroke for fine tuning of the load. Large gauge measuring short and metric tons; Delivered with two V blocks; Easy to use handle with rubber grip; Delivered with a quick chuck and eight punches.


BOTTLE JACKS

BENEFITS

High capacity and durability; 100% sealed and robust; High standing and stability; Improved safety; Easy to disassemble and store; Easy to use.

FEATURES

Double guidance and chromed plated steel piston made of one piece; Automatic welded construction; Large base plate; Safety valve against overloading; Pump handle in two parts to assemble/disassemble; Handle supplied with a small hook to get from under the vehicle; Ideal to be used in combination with the CP jack stands; TUV and CE certified.





TROLLEY JACKS

BENEFITS

Robust and durable; Quick lifting; Comfort; Easy to use.

FEATURES

Heavy duty steel welded chassis with reinforcing rims; One manual pump and one foot pedal for fast approach without load; Handle with protector sponge and soft rubber pad on the saddle plate; Turning handle for easy release of load; Low profile.

JACK STANDS

BENEFITS

High stability; improved safety; Durability; Easy to operate.

FEATURES

Feet with extra-large plate; Self-locking handle and locking pin; Ductile iron support column and rugged steel frame construction; Ratchet action for height adjustment; Min height: 300mm; Maximum height: 455mm. TUV and CE certified. (Sold in pairs)



FOR MORE INFORMATION

For further details on Chicago Pneumatics' workshop equipment **circle 058** on the readerlink card