



09
2021

AIRnet Stainless Steel Component List

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|--------------------|---------|-----------------|
| 2812 1000 07 | Pipe - 15mm | | 401 |
| 2812 2000 03 | Pipe - D28mm | | 401 |
| 2812 3000 02 | Pipe - D35mm | | 401 |
| 2812 4000 00 | Pipe - D42mm | | 401 |
| 2812 5000 00 | Pipe - D54mm | | 401 |
| 2812 6000 14 | Pipe - D76mm | | 401 |
| 2812 7000 09 | Pipe - D89mm | | 401 |
| 2812 8000 09 | Pipe - D108mm | | 401 |
| 2812 1001 07 | Pipe - D15mm | | 402 |
| 2812 2001 03 | Pipe - D28mm | | 402 |
| 2812 4001 00 | Pipe - D42mm | | 402 |
| 2812 1004 00 | Elbow 45° - D15mm | | 402 |
| 2812 2004 00 | Elbow 45° - D28mm | | 402 |
| 2812 3004 00 | Elbow 45° - D35mm | | 402 |
| 2812 4004 00 | Elbow 45° - D42mm | | 402 |
| 2812 5004 00 | Elbow 45° - D54mm | | 402 |
| 2812 6004 00 | Elbow 45° - D76mm | | 402 |
| 2812 7004 00 | Elbow 45° - D89mm | | 402 |
| 2812 8004 00 | Elbow 45° - D108mm | | 402 |
| 2812 1003 00 | Elbow 90° - D15mm | | 402 |
| 2812 2003 00 | Elbow 90° - D28mm | | 402 |
| 2812 3003 00 | Elbow 90° - D35mm | | 402 |
| 2812 4003 00 | Elbow 90° - D42mm | | 402 |
| 2812 5003 00 | Elbow 90° - D54mm | | 402 |
| 2812 6003 00 | Elbow 90° - D76mm | | 402 |
| 2812 7003 00 | Elbow 90° - D89mm | | 402 |
| 2812 8003 00 | Elbow 90° - D108mm | | 402 |
| 2812 1005 00 | Equal Tee - D15mm | | 402 |
| 2812 2005 00 | Equal Tee - D28mm | | 402 |
| 2812 3005 00 | Equal Tee - D35mm | | 402 |
| 2812 4005 00 | Equal Tee - 42mm | | 402 |
| 2812 5005 00 | Equal Tee - 54mm | | 402 |
| 2812 6005 00 | Equal Tee - 76mm | | 402 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|-------------------------------------|---------|-----------------|
| 2812 7005 00 | Equal Tee - 89mm | | 402 |
| 2812 8005 00 | Equal Tee - 108mm | | 402 |
| 2812 2107 00 | Reducing Tees - AIRnet - D28xD15mm | | 402 |
| 2812 3207 00 | Reducing Tees - AIRnet - D35xD28mm | | 402 |
| 2812 4307 00 | Reducing Tees - AIRnet - D42xD35mm | | 402 |
| 2812 5407 00 | Reducing Tees - AIRnet - D54xD42mm | | 402 |
| 2812 6507 00 | Reducing Tees - AIRnet - D76xD54mm | | 402 |
| 2812 7607 00 | Reducing Tees - AIRnet - D89xD76mm | | 402 |
| 2812 8707 00 | Reducing Tees - AIRnet - D108xD89mm | | 402 |
| 2812 1008 00 | Reducing Tees - ISO 228 - D15x1/2" | | 402 |
| 2812 2108 00 | Reducing Tees - ISO 228 - D28x3/4" | | 402 |
| 2812 3108 00 | Reducing Tees - ISO 228 - D35x3/4" | | 402 |
| 2812 4108 00 | Reducing Tees - ISO 228 - D42x3/4" | | 402 |
| 2812 5108 00 | Reducing Tees - ISO 228 - D54x3/4" | | 402 |
| 2812 6108 00 | Reducing Tees - ISO 228 - D76x3/4" | | 402 |
| 2812 7108 00 | Reducing Tees - ISO 228 - D89x3/4" | | 402 |
| 2812 8108 00 | Reducing Tees - ISO 228 - D108x3/4" | | 402 |
| 2812 1009 00 | Reducing Tees - NPT - D15x1/2" | | 402 |
| 2812 2109 00 | Reducing Tees - NPT - D28x3/4" | | 402 |
| 2812 3109 00 | Reducing Tees - NPT - D35x3/4" | | 402 |
| 2812 4109 00 | Reducing Tees - NPT - D42x3/4" | | 402 |
| 2812 5109 00 | Reducing Tees - NPT - D54x3/4" | | 402 |
| 2812 6109 00 | Reducing Tees - NPT - D76x3/4" | | 402 |
| 2812 7109 00 | Reducing Tees - NPT - D89x3/4" | | 402 |
| 2812 8109 00 | Reducing Tees - NPT - D108x3/4" | | 402 |
| 2812 1002 00 | Equal Socket - D15mm | | 402 |
| 2812 2002 00 | Equal Socket - D28mm | | 402 |
| 2812 3002 00 | Equal Socket - D35mm | | 402 |
| 2812 4002 00 | Equal Socket - D42mm | | 402 |
| 2812 5002 00 | Equal Socket - D54mm | | 402 |
| 2812 6002 00 | Equal Socket - D76mm | | 402 |
| 2812 7002 00 | Equal Socket - D89mm | | 402 |
| 2812 8002 00 | Equal Socket - D108mm | | 402 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|--|---------|-----------------|
| 2812 1006 00 | End Cap - D15mm | | 402 |
| 2812 2006 00 | End Cap - D28mm | | 402 |
| 2812 3006 00 | End Cap - D35mm | | 402 |
| 2812 4006 00 | End Cap - D42mm | | 402 |
| 2812 5006 00 | End Cap - D54mm | | 402 |
| 2812 6006 00 | End Cap - D76mm | | 402 |
| 2812 7006 00 | End Cap - D89mm | | 402 |
| 2812 8006 00 | End Cap - D108mm | | 402 |
| 2812 1040 00 | Wall Mounted Nipple - ISO 228 - D15x1/2" | | 402 |
| 2812 1041 00 | Wall Mounted Nipple - NPT - D15x1/2" | | 402 |
| 2812 1017 00 | Nipple Socket ISO 7-R Male - D15x1/2" | | 402 |
| 2812 1117 00 | Nipple Socket ISO 7-R Male - D15x3/4" | | 402 |
| 2812 2117 00 | Nipple Socket ISO 7-R Male - D28x3/4" | | 402 |
| 2812 2217 00 | Nipple Socket ISO 7-R Male - D28x1" | | 402 |
| 2812 3217 00 | Nipple Socket ISO 7-R Male - D35x1" | | 402 |
| 2812 3317 00 | Nipple Socket ISO 7-R Male - D35x1 1/4" | | 402 |
| 2812 4317 00 | Nipple Socket ISO 7-R Male - D42x1 1/4" | | 402 |
| 2812 4417 00 | Nipple Socket ISO 7-R Male - D54x1 1/2" | | 402 |
| 2812 5417 00 | Nipple Socket ISO 7-R Male - D54x2" | | 402 |
| 2812 5517 00 | Nipple Socket ISO 7-R Male - D76x2" | | 402 |
| 2812 6617 00 | Nipple Socket ISO 7-R Male - D76x2 1/2" | | 402 |
| 2812 7717 00 | Nipple Socket ISO 7-R Male - D89x3" | | 402 |
| 2812 8817 00 | Nipple Socket ISO 7-R Male - D108x4" | | 402 |
| 2812 1018 00 | Nipple Socket NPT Male - D15x1/2" | | 402 |
| 2812 1118 00 | Nipple Socket NPT Male - D15x3/4" | | 402 |
| 2812 2118 00 | Nipple Socket NPT Male - D28x3/4" | | 402 |
| 2812 2218 00 | Nipple Socket NPT Male - D28x1" | | 402 |
| 2812 3218 00 | Nipple Socket NPT Male - D35x1" | | 402 |
| 2812 3318 00 | Nipple Socket NPT Male - D35x1 1/4" | | 402 |
| 2812 4318 00 | Nipple Socket NPT Male - D42x1 1/4" | | 402 |
| 2812 4418 00 | Nipple Socket NPT Male - D42x1 1/2" | | 402 |
| 2812 5418 00 | Nipple Socket NPT Male - D54x1 1/2" | | 402 |
| 2812 5518 00 | Nipple Socket NPT Male - D54x2" | | 402 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|--|---------|-----------------|
| 2812 6618 00 | Nipple Socket NPT Male - D76x2 1/2" | | 402 |
| 2812 7718 00 | Nipple Socket NPT Male - D89x3" | | 402 |
| 2812 8818 00 | Nipple Socket NPT Male - D108x4" | | 402 |
| 2812 1119 00 | Nipple Socket ISO 228 Female - D15x3/4" | | 402 |
| 2812 2219 00 | Nipple Socket ISO 228 Female - D28x1" | | 402 |
| 2812 3319 00 | Nipple Socket ISO 228 Female - D35x1 1/4" | | 402 |
| 2812 4419 00 | Nipple Socket ISO 228 Female - D42x1 1/2" | | 402 |
| 2812 5519 00 | Nipple Socket ISO 228 Female - D54x2" | | 402 |
| 2812 1120 00 | Nipple Socket NPT Female - D15x3/4" | | 402 |
| 2812 2220 00 | Nipple Socket NPT Female - D28x1" | | 402 |
| 2812 3320 00 | Nipple Socket NPT Female - D35x1 1/4" | | 402 |
| 2812 4420 00 | Nipple Socket NPT Female - D42x1 1/2" | | 402 |
| 2812 5520 00 | Nipple Socket NPT Female - D54x2" | | 402 |
| 2812 2121 00 | Reducer Male-Female - D28x15mm | | 402 |
| 2812 3221 00 | Reducer Male-Female - D35x28mm | | 402 |
| 2812 4321 00 | Reducer Male-Female - D42x35mm | | 402 |
| 2812 5421 00 | Reducer Male-Female - D54x42mm | | 402 |
| 2812 6521 00 | Reducer Male-Female -D76x54mm | | 402 |
| 2812 7621 00 | Reducer Male-Female - D89x76mm | | 402 |
| 2812 8721 00 | Reducer Male-Female - D108x89mm | | 402 |
| 2812 1113 00 | Adapter Union Socket ISO 228 Female - D15x1/2" | | 402 |
| 2812 2213 00 | Adapter Union Socket ISO 228 Female - D28x1" | | 402 |
| 2812 3313 00 | Adapter Union Socket ISO 228 Female - D35x1" | | 402 |
| 2812 4413 00 | Adapter Union Socket ISO 228 Female - D42x1" | | 402 |
| 2812 5513 00 | Adapter Union Socket ISO 228 Female - D54x2" | | 402 |
| 2812 1114 00 | Adapter Union Socket NPT Female - D15x1/2" | | 402 |
| 2812 2214 00 | Adapter Union Socket NPT Female - D28x1" | | 402 |
| 2812 3314 00 | Adapter Union Socket NPT Female - D35x1 1/4" | | 402 |
| 2812 4414 00 | Adapter Union Socket NPT Female - D42x1 1/2" | | 402 |
| 2812 5514 00 | Adapter Union Socket NPT Female - D54x2" | | 402 |
| 2812 1054 00 | Flange - DIN PN16 - D15xDN12mm | | 402 |
| 2812 2054 00 | Flange - DIN PN16 - D28xDN25mm | | 402 |
| 2812 3054 00 | Flange - DIN PN16 - D35xDN32mm | | 402 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|--|---------|-----------------|
| 2812 6618 00 | Nipple Socket NPT Male - D76x2 1/2" | | 402 |
| 2812 7718 00 | Nipple Socket NPT Male - D89x3" | | 402 |
| 2812 8818 00 | Nipple Socket NPT Male - D108x4" | | 402 |
| 2812 1119 00 | Nipple Socket ISO 228 Female - D15x3/4" | | 402 |
| 2812 2219 00 | Nipple Socket ISO 228 Female - D28x1" | | 402 |
| 2812 3319 00 | Nipple Socket ISO 228 Female - D35x1 1/4" | | 402 |
| 2812 4419 00 | Nipple Socket ISO 228 Female - D42x1 1/2" | | 402 |
| 2812 5519 00 | Nipple Socket ISO 228 Female - D54x2" | | 402 |
| 2812 1120 00 | Nipple Socket NPT Female - D15x3/4" | | 402 |
| 2812 2220 00 | Nipple Socket NPT Female - D28x1" | | 402 |
| 2812 3320 00 | Nipple Socket NPT Female - D35x1 1/4" | | 402 |
| 2812 4420 00 | Nipple Socket NPT Female - D42x1 1/2" | | 402 |
| 2812 5520 00 | Nipple Socket NPT Female - D54x2" | | 402 |
| 2812 2121 00 | Reducer Male-Female - D28x15mm | | 402 |
| 2812 3221 00 | Reducer Male-Female - D35x28mm | | 402 |
| 2812 4321 00 | Reducer Male-Female - D42x35mm | | 402 |
| 2812 5421 00 | Reducer Male-Female - D54x42mm | | 402 |
| 2812 6521 00 | Reducer Male-Female -D76x54mm | | 402 |
| 2812 7621 00 | Reducer Male-Female - D89x76mm | | 402 |
| 2812 8721 00 | Reducer Male-Female - D108x89mm | | 402 |
| 2812 1113 00 | Adapter Union Socket ISO 228 Female - D15x1/2" | | 402 |
| 2812 2213 00 | Adapter Union Socket ISO 228 Female - D28x1" | | 402 |
| 2812 3313 00 | Adapter Union Socket ISO 228 Female - D35x1" | | 402 |
| 2812 4413 00 | Adapter Union Socket ISO 228 Female - D42x1" | | 402 |
| 2812 5513 00 | Adapter Union Socket ISO 228 Female - D54x2" | | 402 |
| 2812 1114 00 | Adapter Union Socket NPT Female - D15x1/2" | | 402 |
| 2812 2214 00 | Adapter Union Socket NPT Female - D28x1" | | 402 |
| 2812 3314 00 | Adapter Union Socket NPT Female - D35x1 1/4" | | 402 |
| 2812 4414 00 | Adapter Union Socket NPT Female - D42x1 1/2" | | 402 |
| 2812 5514 00 | Adapter Union Socket NPT Female - D54x2" | | 402 |
| 2812 1054 00 | Flange - DIN PN16 - D15xDN12mm | | 402 |
| 2812 2054 00 | Flange - DIN PN16 - D28xDN25mm | | 402 |
| 2812 3054 00 | Flange - DIN PN16 - D35xDN32mm | | 402 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|-----------------------------------|---------|-----------------|
| 2812 4054 00 | Flange - DIN PN16 - D42xDN40mm | | 402 |
| 2812 5054 00 | Flange - DIN PN16 - D54xDN50mm | | 402 |
| 2812 6054 00 | Flange - DIN PN16 - D76xDN65mm | | 402 |
| 2812 7054 00 | Flange - DIN PN16 - D89xDN80mm | | 402 |
| 2812 8054 00 | Flange - DIN PN16 - D108xDN100mm | | 402 |
| 2812 1154 00 | Flange - ANSI CL150 - D15x1/2" | | 402 |
| 2812 2154 00 | Flange - ANSI CL150 - D28x1" | | 402 |
| 2812 3154 00 | Flange - ANSI CL150 - D35x1 1/4" | | 402 |
| 2812 4154 00 | Flange - ANSI CL150 - D42x1 1/2" | | 402 |
| 2812 5154 00 | Flange - ANSI CL150 - D54x2" | | 402 |
| 2812 6154 00 | Flange - ANSI CL150 - D76x2 3/4" | | 402 |
| 2812 7154 00 | Flange - ANSI CL150 - D89x3 1/2" | | 402 |
| 2812 8154 00 | Flange - ANSI CL150 - D108x4" | | 402 |
| 2812 6310 00 | Quick Drop - D76x35mm | | 402 |
| 2812 7410 00 | Quick Drop - D89x42mm | | 402 |
| 2812 8510 00 | Quick Drop - D108x54mm | | 402 |
| 2812 1067 00 | Swan Neck - D15mm | | 402 |
| 2812 2067 00 | Swan Neck - D28mm | | 402 |
| 2812 1051 00 | Ball Valve - D15mm | | 402 |
| 2812 2051 00 | Ball Valve - D28mm | | 402 |
| 2812 3051 00 | Ball Valve - D35mm | | 402 |
| 2812 4051 00 | Ball Valve - D42mm | | 402 |
| 2812 5051 00 | Ball Valve - D54mm | | 402 |
| 2812 6051 00 | Ball Valve - D76mm | | 402 |
| 2812 7051 00 | Ball Valve - D89mm | | 402 |
| 2812 8051 00 | Ball Valve - D108mm | | 402 |
| 2812 1055 00 | Compensator - D15mm | | 402 |
| 2812 2055 00 | Compensator - D28mm | | 402 |
| 2812 3055 00 | Compensator - D35mm | | 402 |
| 2812 4055 00 | Compensator - D42mm | | 402 |
| 2812 5055 00 | Compensator - D54mm | | 402 |
| 2812 1022 20 | Pipe Clip - Metric nut - D15mm-M6 | | 401 |
| 2812 2022 20 | Pipe Clip - Metric nut - D28mm-M8 | | 401 |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|-------------------------------------|---------|-----------------|
| 2812 3022 20 | Pipe Clip - Metric nut - D35mm-M8 | | 401 |
| 2812 4022 20 | Pipe Clip - Metric nut - D42mm-M8 | | 401 |
| 2812 5022 20 | Pipe Clip - Metric nut - D54mm-M8 | | 401 |
| 2812 6022 20 | Pipe Clip - Metric nut - D76mm-M10 | | 401 |
| 2812 7022 20 | Pipe Clip - Metric nut - D89mm-M10 | | 401 |
| 2812 8022 20 | Pipe Clip - Metric nut - D108mm-M10 | | 401 |
| 2812 1122 20 | Pipe Clip - UNC nut - D15mm-3/8" | | 401 |
| 2812 2122 20 | Pipe Clip - UNC nut - D28mm-3/8" | | 401 |
| 2812 3122 20 | Pipe Clip - UNC nut - D35mm-3/8" | | 401 |
| 2812 4122 20 | Pipe Clip - UNC nut - D42mm-3/8" | | 401 |
| 2812 5122 20 | Pipe Clip - UNC nut - D54mm-3/8" | | 401 |
| 2812 6122 20 | Pipe Clip - UNC nut - D76mm-3/8" | | 401 |
| 2812 7122 20 | Pipe Clip - UNC nut - D89mm-3/8" | | 401 |
| 2812 8122 20 | Pipe Clip - UNC nut - D108mm-3/8" | | 401 |
| 2812 1065 20 | O-ring Kit - D15mm | | 403 |
| 2812 2065 20 | O-ring Kit - D28mm | | 403 |
| 2812 3065 20 | O-ring Kit - D35mm | | 403 |
| 2813 4065 20 | O-ring Kit - D42mm | | 403 |
| 2812 5065 20 | O-ring Kit - D54mm | | 403 |
| 2814 6065 10 | O-ring Kit - D76mm | | 403 |
| 2812 7065 10 | O-ring Kit - D89mm | | 403 |
| 2815 8065 10 | O-ring Kit - D108mm | | 403 |
| 2812 0028 00 | Pressing Tool - D15-54mm | | |
| 2812 0128 00 | Pressing Tool - D76-108mm | | |
| 2812 4528 00 | Tool Adapter - D42-54mm | | |
| 2812 0228 00 | Battery for Pressing Tool | | |
| 2812 0328 00 | Charger for Pressing Tool | | |
| 2812 0428 00 | Power Cable for Pressing Tool | | |
| 2812 1028 00 | Tool Jaw - D15mm | | |
| 2812 2028 00 | Tool Jaw - D28mm | | |
| 2812 3028 00 | Tool Jaw - D35mm | | |
| 2812 4028 00 | Tool Collar - D42mm | | |
| 2812 5028 00 | Tool Collar - D54mm | | |

| AIRnet partnumber | Description | Comment | Reference Group |
|-------------------|--|---------|-----------------|
| 2812 6028 00 | Tool Collar - D76mm | | |
| 2812 7028 00 | Tool Collar - D89mm | | |
| 2812 8028 00 | Tool Collar - D108mm | | |
| 0650 0100 43 | Gasket for Flange - PN10-16 / ANSI CL 150 - D15mm | | |
| 0650 0100 99 | Gasket for Flange - PN10-16 - D28mm | | |
| 0650 0101 06 | Gasket for Flange - ANSI CL 150 - D28mm | | |
| 0650 1001 12 | Gasket for Flange - PN10-16 / ANSI CL 150 - D35mm | | |
| 0650 1000 87 | Gasket for Flange - PN10-16 - D42mm | | |
| 0650 0100 09 | Gasket for Flange - PN10-16 / ANSI CL 150 - D54mm | | |
| 0650 1001 07 | Gasket for Flange - PN10-16 - D76mm | | |
| 0650 1001 19 | Gasket for Flange - ANSI CL 150 - D76mm | | |
| 0650 1001027 | Gasket for Flange - PN10-16 / ANSI CL 150 - D89mm | | |
| 0650 0100 06 | Gasket for Flange - PN10-16 / ANSI CL 150 - D108mm | | |

Reference Group 401-403

401 Pipes 304L stainless steel

| | |
|------------------------|---|
| Material: | Stainless Steel -AISI 304L 1.4301 EN10217-7 |
| Treatment: | EN10312 Annealing |
| Specifications: | Max. working pressure: 16bar Vacuum level: 20 mbar (a) Max. working temperature: 120°C Min. working temperature: -20°C |
| Duty: | Compressed air/ Nitrogen, Argon, Vacuum |

402 Pipes & fittings 316L stainless steel

| | |
|------------------------|---|
| Material: | Stainless Steel -AISI 316L W.1.4404 EN10217-7 EN10312 |
| Treatment: | Annealing |
| Specifications: | Max. working pressure: 16bar Vacuum level: 20 mbar (a) Max. working temperature: 120°C Min. working temperature: -20°C |
| Duty: | Compressed air/ Nitrogen, Argon, Vacuum |

403 O-ring Kit

| | |
|------------------------|---|
| Material: | FKM (Fluor elastomer) |
| Specifications: | Max. working pressure: 16bar Vacuum level: 20 mbar (a) Max. working temperature: 220°C Min. working temperature: -20°C |



Preserving the power of air

www.airnet-system.com